

Passive Infrared (PIR) Fresnel Lenses

In a Fresnel lens, the outer refracting surface is compressed to a flat plane. The Fresnel lens is composed of a number of concentric grooves that refract light. A Fresnel lens can be designed to perform a number of functions, including focusing, energy collection, collimation and diffusion. These types of Fresnel lenses can be used in applications such as imaging, lighting, and passive infrared sensors.

Features:


- Designed for wavelengths between 5 and 20 microns
- Peak transmission between 9 and 12 microns
- Short focal lengths for low profile sensors

Applications

One of the primary uses for passive infrared (PIR) Fresnel lenses is in the security arena. In this application, a Fresnel lens array is used in conjunction with a pyroelectric detector to create a useful detection pattern.

Other uses of PIR lenses include:

- Passive Infrared Sensors
 - Burglar alarm/security
 - Motion activated lighting
 - Lighting control systems
 - Environmental control systems
- Non Passive Infrared Applications
 - Non contact thermometers
 - Low resolution thermal imaging
 - Protective windows for hi-res IR systems



Part Number	Focal Length	Facet Spacing	Lens Aperture	Part Diameter	Part Thickness
IO8809	23 mm	Variable	45 mm	67.4 mm	0.45 mm
IO8831	25.4 mm	0.4 mm	48 mm	67.4 mm	0.45 mm
IO8818	27 mm	0.4 mm	48 mm	67.4 mm	0.45 mm
IO8834	40 mm	Variable	58 mm	67.4 mm	0.45 mm
IO8800	Plano	NA	58 mm	67.4 mm	0.45 mm

Material: HDPE in Natural or White

Empire Precision Plastics

500 Lee Road, Suite 400
 Rochester, NY 14606
 585.454.4995

empireprecision.com